What is claimed is:

1. A compound of a formula I:

$$W^1 \searrow O \searrow O \searrow W^2$$

- 5 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:
 - each occurrence of Z is independently (CH₂)_m, (CH=CH)_t, or phenyl, where each occurrence of m and t is an independent integer ranging from 1 to 9;
 - (b) G is $(CH_2)_x$, $CH_2CH=CHCH_2$, CH=CH, CH_2 -phenyl- CH_2 , or phenyl, where x is 2, 3, or 4;
- 10 (c) W^1 and W^2 are independently $C(R^1)(R^2)(CH_2)_{n-}Y$, V, $C(R^3)(R^4)$ – $(CH_2)_{c-}C(R^5)(R^6)$ – $(CH_2)_{n-}Y$, or $C(R^1)(R^2)$ – $(CH_2)_{c-}V$ where c is 1 or 2 and n is an integer ranging from 0 to 4;
 - (d) each occurrence of R^1 and R^2 is independently $(C_{1-}C_6)$ alkyl, $(C_{2-}C_6)$ alkenyl, $(C_{2-}C_6)$ alkynyl, phenyl, benzyl, or, R^1 and R^2 and the carbon to which they are both attached are taken together to form a (C_3-C_7) cycloakyl group;
 - (e) each occurrence of R³ and R⁴ is independently H, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, benzyl, R³ and R⁴ and the carbon to which they are both attached are taken together to form a (C₃-C₇)cycloakyl group;
- (f) R⁵ is H, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, (C₁-C₆)alkoxy, phenyl, benzyl, Cl, Br, CN, NO₂, or CF₃;
 - (g) R^6 is OH, (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, (C_1-C_6) alkoxy, phenyl, benzyl, Cl, Br, CN, NO₂, or CF₃;
 - (h) V is

(i) each occurrence of Y is independently (C_{1} – C_{6})alkyl, OH, COOH, CHO, COOR⁷, SO₃H,

- (j) R^7 is (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C_1-C_6) alkoxy, or phenyl groups;
- (k) each occurrence of R⁸ is independently H, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, or (C₂-C₆)alkynyl and is unsubstituted or substituted with one or two halo, OH, (C₁-C₆)alkoxy, or phenyl groups;
 - (l) each occurrence of R^9 is independently H, $(C_{1-}C_6)$ alkyl, $(C_{2-}C_6)$ alkenyl, or $(C_{2-}C_6)$ alkynyl; and
 - (m) with the provisos:
- 10 (i) that when G is(CH_2)_x, then W¹ and W² cannot both be $C(R^1)(R^2)$ –CHO or cannot both be

(ii) that when G is phenyl, then W¹ and W² cannot:

both be
$$C(R^1)(R^2)$$
– $COOH$,

both be $C(R^1)(R^2)$ – CH_2OH ,

both be $C(R^1)(R^2)$ – $COOR^7$,

both be $(CH_2)_3$ – $C(H)(OH)$ – CH_2OH ,

both be $(CH_2)_2$ – $C(H)(OH)$ – CH_2OH ,

both be $C(R^1)(R^2)$ – CHO , or

both be

- (iii) that when every occurrence of Z is phenyl, then W^1 and W^2 cannot both be $C(R^1)(R^2)$ -OH.
- 2. The compound of claim 1, wherein W¹ and W² are independently $C(R^1)(R^2)(CH_2)_{n-1}$ 25 Y, V, $C(R^3)(R^4)$ – $(CH_2)_{c-1}$ C(R⁵)(R⁶)–Y, or $C(R^1)(R^2)$ – $(CH_2)_{c-1}$ V.

- 3. The compound of claim 1, wherein W^1 and W^2 are independently $C(R^1)(R^2)(CH_2)_{n-1}$ Y, V, or $C(R^1)(R^2)-(CH_2)_{c-1}$ V.
- 4. The compound of claim 1, wherein W^1 and W^2 are independent $C(R^1)(R^2)(CH_2)_{n-}Y$ groups.
- 5 5. The compound of claim 1, wherein W^1 is $C(R^1)(R^2)(CH_2)_{n-}Y$.
 - 6. The compound of claim 1, wherein W^1 is V.
 - 7. The compound of claim 1, wherein W^1 is $C(R^3)(R^4)-(CH_2)_{c-}C(R^5)(R^6)-Y$.
 - 8. The compound of claim 1, wherein W^1 is $C(R^1)(R^2)$ – $(CH_2)_{c-}V$.
- 9. The compound of claim 4, wherein each occurrence of Y is independently OH, 10 COOR⁷, or COOH.
 - 10. The compound of claim 4, wherein each occurrence of Y is independently OH or COOH.
 - 11. The compound of claim 1, wherein m is an integer ranging from 1 to 4 and t is 1.
- 12. The compound of claim 1, wherein R⁶ is OH, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, (C₁-C₆)alkoxy, phenyl, benzyl, Cl, or Br.
 - 13. A compound of a formula Ia:

$$W^1$$
 Z O G O Z W^2

Ia

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:

- 20 (a) each occurrence of Z is independently (CH₂)_m or (CH=CH)_t, where each occurrence of m and t is an independent integer ranging from 1 to 9;
 - (b) G is $(CH_2)_x$, $CH_2CH=CHCH_2$, or CH=CH, where x is 2, 3, or 4;

- (c) W^1 and W^2 are independently $C(R^1)(R^2)(CH_2)_{n-}Y$, V, or $C(R^1)(R^2)-(CH_2)_{c-}V$, where c is 1 or 2 and n is an integer ranging from 0 to 4;
- (d) each occurrence of R¹ and R² is independently (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, benzyl, or R¹ and R² and the carbon to which they are both attached are taken together to form a (C₃-C₇)cycloakyl group;
 - (e) V is

(f) each occurrence of Y is independently OH, COOH, CHO, COOR⁷, SO₃H,


- (g) R^7 is (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C_1-C_6) alkoxy, or phenyl groups;
- (h) each occurrence of R^8 is independently H, $(C_{1-}C_6)$ alkyl, $(C_{2-}C_6)$ alkenyl, or $(C_{2-}C_6)$ alkynyl and is unsubstituted or substituted with one or two halo, OH, $(C_{1-}C_6)$ alkoxy, or phenyl groups;
- (i) each occurrence of R^9 is independently H, $(C_{1}_C_{6})$ alkyl, $(C_{2}_C_{6})$ alkenyl, or $(C_{2}_C_{6})$ alkynyl; and
 - (j) with the proviso that when G is(CH₂)_x, then W¹ and W² cannot both be $C(R^1)(R^2)$ —CHO or cannot both be

- 14. The compound of claim 13, wherein W^1 and W^2 are independent $C(R^1)(R^2)(CH_2)_{n-}Y$ groups.
 - 15. The compound of claim 13, wherein W^1 is $C(R^1)(R^2)(CH_2)_{n-}Y$.
 - 16. The compound of claim 13, wherein W¹ is V.

- 17. The compound of claim 13, wherein W^1 is $C(R^1)(R^2)$ — $(CH_2)_{c-}V$.
- 18. The compound of claim 14, wherein each occurrence of Y is independently OH, COOR⁷, or COOH.
- 19. The compound of claim 14, wherein each occurrence of Y is independently OH or 5 COOH.
 - 20. The compound of claim 13, wherein m is an integer ranging from 1 to 4 and t is 1.
 - 21. A compound of the formula **Ib**

$$Y^{1}$$
 $(CH_{2})_{n}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$
 $(CH_{2})_{m}$

- or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:
 - (a) each occurrence of m is independently an integer ranging from 1 to 9;
 - (b) each occurrence of n is an independent integer ranging from 0 to 4;
 - (c) x is 2, 3, or 4;
- each occurrence of R¹ and R² is independently (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, benzyl, or R¹ and R² and the carbon to which they are both attached are taken together to form a (C₃-C₇)cycloakyl group;
 - (e) each occurrence of R¹¹ and R¹² and the carbon to which they are both attached are taken together to form a (C₃-C₇)cycloakyl group;
 - (f) Y¹ and Y² are independently (C₁-C₆)alkyl, OH, COOH, CHO, COOR⁷, SO₃H,



- (g) R⁷ is (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C₁-C₆)alkoxy, or phenyl groups;
- (h) each occurrence of R⁸ is independently H, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, or (C₂-C₆)alkynyl and is unsubstituted or substituted with one or two halo, OH, (C₁-C₆)alkoxy, or phenyl groups;
 - (i) each occurrence of R^9 is independently H, $(C_{1-}C_{6})$ alkyl, $(C_{2-}C_{6})$ alkenyl, or $(C_{2-}C_{6})$ alkynyl; and
 - (j) with the proviso that both occurrences of Y cannot both be CHO.
- 10 22. The compound of claim 21, wherein each occurrence of Y is independently OH, COOR⁷, or COOH.
 - 23. The compound of claim 21, wherein each occurrence of Y is independently OH or COOH.
- 24. The compound of claim 22, wherein each occurrence of R^1 or R^2 is independently ($C_{1-}C_6$)alkyl group.
 - 25. The compound of claim 22, wherein each occurrence of R^1 or R^2 is methyl.

26. A compound of the formula Ic

$$(CH_2)_m$$
 $(CH_2)_x$ $(CH_2)_m$ $(CH_2)_m$

Ic

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:

- 5 (a) each occurrence of m is an independent integer ranging from 1 to 9;
 - (b) x is 2, 3, or 4;
 - (c) V is

27. A compound of a formula Id:

$$\begin{array}{c|c}
R^{10} & R^{11} \\
\hline
P^{11} & R^{11}$$

Id

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein

- (a) each occurrence of m is independently an integer ranging from 1 to 9;
- 5 (b) each occurrence of n is an independent integer ranging from 0 to 4;
 - (c) x is 2, 3, or 4;
 - (d) each occurrence of R^1 is independently ($C_{1-}C_{6}$)alkyl, ($C_{2-}C_{6}$)alkenyl, (C_{2-} C_{6})alkynyl, phenyl, or benzyl;
 - (e) each occurrence of Y is (C₁-C₆)alkyl, OH, COOH, CHO, COOR⁷, SO₃H,

- (f) R^7 is H, $(C_{1}-C_4)$ alkyl, phenyl, or benzyl, and is substituted or unsubstituted with one or more halo, OH, (C_1-C_6) alkoxy, or phenyl groups;
- 6 (g) each occurrence of R^8 is independently H, $(C_{1}$ – C_{6})alkyl, $(C_{2}$ – C_{6})alkenyl, or $(C_{2}$ – C_{6})alkynyl and is unsubstituted or substituted with one or two halo, OH, $(C_{1}$ – C_{6})alkoxy, or phenyl groups;
 - (h) each occurrence of R^9 is independently H, $(C_{1-}C_{6})$ alkyl, $(C_{2-}C_{6})$ alkenyl, or $(C_{2-}C_{6})$ alkynyl;
- 10 (i) R¹⁰ and R¹¹ are independently H, halogen, (C₁-C₄)alkyl, (C₁-C₄)alkoxy, (C₆)aryl, (C₆)aryloxy, CN, or NO₂, N(R⁷)₂.
 - 28. A compound of the formula:
 - I-114 4-[3-(3-carboxy-3-methyl-butoxy)-propoxy]-2,2-dimethyl-butyric acid,
 - I-297 5-[2-(5-hydroxy-4,4-dimethyl-pentyloxy)-ethoxy]-2,2-dimethyl-pentan-1-ol,
- 15 IV-1 3-{3-[3-(2-Carboxy-2-methyl-propyl)-phenoxy]-phenyl}-2,2-dimethyl-propionic acid,
 - IV-2 1-{3-[3-(2-hydroxy-2-methyl-propyl)-phenoxy]-phenyl}-2-methyl-propan-2-ol,

or a pharmaceutically acceptable salt, hydrate, solvate, clathrate, enantiomer, diastereomer, racemate, or a mixture of stereoisomer thereof.

29. A compound of the formula:

5

15

- I-1: 4-[2-(3-hydroxy-3-methyl-butoxy)-ethoxy]-2-methyl-butan-2-ol;
- I-2: 4-[2-(4-hydroxy-3,3-dimethyl-butoxy)-ethoxy]-2,2-dimethyl-butan-1-ol;
- I-3: 4-[2-(3-carboxy-3-methyl-butoxy)-ethoxy]-2,2-dimethyl-butyric acid;
- I-4: 4-[2-(3,3-dimethyl-4-oxo-butoxy)-ethoxy]-2,2-dimethyl-butanal;
 - I-5: 4-[2-(3-methoxycarbonyl-3-methyl-butoxy)-ethoxy]-2,2-dimethyl-butyric acid methyl ester;
 - I-6: 2,2-dimethyl-4-[2-(3-methyl-3-phenoxycarbonyl-butoxy)-ethoxy]-butyric acid phenyl ester;
- 10 I-7: benzyl-2,2,2',2'-tetramethyl-4,4'-[ethylenebis(oxadiyl)]dibutryrate;
 - I-8: 2,2'-dimethyl-4,4'-[ethylenebis(oxadiyl)]dibutane-2-sulfonic acid;
 - I-9: phosphoric acid mono-{3-[2-(3,3-dimethyl-butoxy)-ethoxy]-1,1-dimethyl-propyl} ester;
 - I-10: 1-ethyl-3-(3-{2-[3-(4,6-dioxo-2,3,3a,6-tetrahydro-4*H*-thieno[3,2-c] pyridin-5-yl))-3-methyl-butoxy]-ethoxy}-1,1-dimethyl-propyl)-4,6-dioxo-2,3,3a,6-tetrahydro-4*H*-thieno[3,2-c]pyridin-5-yl-4,6-dione;
 - I-11: 1-ethyl-3-(3-{2-[3-(4,6-dithioxo-2,3,3a,6-tetrahydro-4*H*-thieno[3,2-c] pyridin-5-yl))-3-methyl-butoxy]-ethoxy}-1,1-dimethyl-propyl)-4,6-dioxo-2,3,3a,6-tetrahydro-4*H*-thieno[3,2-c]pyridin-5-yl-4,6-dithione;
- I-12: 2,2-dimethyl-4-[2-(3-methyl-3-cyanocarbamoyl-butoxy)-ethoxy]-*N*-cyanobutyramide;
 - I-13: phosphoradimic acid mono-(3-{2-[3-(amino-hydroxy-phosphoryloxy)-3-methyl-butoxy]-ethoxy}-1,1-dimethyl-propyl) ester;
 - I-14: {1,1-dimethyl-3-[2-(3-methyl-3-phosphonamido-butoxy)-ethoxy]-propyl}-phosphonic acid amide;
 - I-15: $1-\{3-[2-(3-methyl-3-\{(1H)-tetrazol-1-yl\}-butoxy)-ethoxy]-1,1-dimethyl-propyl\}-1H-tetrazole;$
 - I-16: 5-{3-[2-(3-methyl-3-{(1*H*)tetrazol-5-yl}-butoxy)-ethoxy]-1,1-dimethyl-propyl}-1*H*-tetrazole;
- 30 I-17: 1-ethyl-3-(3-{2-[3-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-3-methyl-butoxy]-ethoxy}-1,1-dimethyl-propyl)-imidazolidine-2,4-dione;
 - I-18: 1-ethyl-3-(3-{2-[3-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-3-methyl-butoxy]-ethoxy}-1,1-dimethyl-propyl)-imidazolidine-2,4-dione;

I-19: 1-ethyl-3-(3-{2-[3-(3-ethyl-2-oxo-5-thioxo-imidazolidin-1-yl)-3- methylbutoxy]-ethoxy}-1,1-dimethyl-propyl)-imidazolidine-2-thioxo-4-one; I-20: 1-ethyl-3-(3-{2-[3-(3-ethyl-5-oxo-2-thioxo-imidazolidin-1-yl)- 3-methylbutoxy]-ethoxy}-1,1-dimethyl-propyl)-imidazolidine-4-thioxo-2-one; 5 I-21: 1-{3-[2-(3-methyl-3-(3-methyl-isoxazol-5-yl)-butoxy)-ethoxyl-1,1-dimethylpropyl}-5-isoxazole; I-22: 1-{3-[2-(3-methyl-3-(3-methyl-isoxazol-4-yl)-butoxy)-ethoxy]-1,1-dimethylpropyl}-4-isoxazole; I-23: 3-{3-[2-(3-methyl-3-(5-hydroxy-pyran-3-yl-4-one)-butoxy)-ethoxy]-1,1-10 dimethyl-propyl}-5-hydroxy-pyran-4-one; I-24: 2-{3-(2-[3-methyl-3-(5-hydroxy-pyran-2-yl-4-one)-butoxy]-ethoxy)]-1,1dimethyl-propyl}-5-hydroxy-pyran-4-one; I-25: 2-{3-[2-(3-methyl-3-(5-hydroxy-pyran-3-yl-4-one)-butoxy]-ethoxy}-1,1dimethyl-propyl}-5-hydroxy-pyran-4-one; 15 I-26: 1-(2-tetrahydropyranyloxy)-2-{2-[2-(2-tetrahydropyranyloxy)-ethoxy]ethoxy} ethane; I-27: 4-{2-[2-(4-oxetan-2-one)-propoxy-ethoxy]-ethyl}-oxetan-2-one; 3-{2-[2-(3-oxetan-2-one)-propoxy-ethoxy]-ethyl}-oxetan-2-one; I-28: I-29: 5-{2-[2-(5-dihydro-furan-2-one)-propoxy-ethoxy]-ethyl}-dihydro-furan-2-20 one; I-30: 4-{2-[2-(4-dihydro-furan-2-one)-propoxy-ethoxy]-ethyl}-dihydro-furan-2one; I-31: 3-{2-[2-(3-dihydro-furan-2-one)-propoxy-ethoxy]-ethyl}-dihydro-furan-2one; 25 I-32: 2-{2-[2-(2-{2-[4-(carboxy-methyl)-4-hydroxy-6-oxo-tetrahydro-pyran-2-yl]ethoxy}-ethoxy)-ethyl]-4-hydroxy-6-oxo-tetrahydro-pyran-4-yl}-acetic acid; 2,2'-[ethylenebis(oxadiyl)]diethane-6-d-valerolactone; I-33: I-34: 2,2'-[ethylenebis(oxadiyl)]diethane-5-d-valerolactone; I-35: 2,2'-[ethylenebis(oxadiyl)]diethane-4-d-valerolactone; 30 I-36: 2,2'-[ethylenebis(oxadiyl)]diethane-3-d-valerolactone; I-37: 3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentanol; I-38: 3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentanoic acid; I-39: 3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentanal: I-40: methyl-3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentanoate;

- I-41: phenyl-3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentanoate;
- I-42: benzyl-3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentanoate;
- I-43: 4,4,4',4'-tetramethyl-6,6'-[ethylenebis(oxadiyl)]dihexanol:
- I-44: 4,4,4',4'-tetramethyl-6,6'-[ethylenebis(oxadiyl)]dihexanoic acid;
- 5 I-45: 4,4,4',4'-tetramethyl-6,6'-[ethylenebis(oxadiyl)]dihexanal;
 - I-46: methyl-4,4,4',4'-tetramethyl-6,6'-[ethylene-(oxadiyl)]-dihexanoate;
 - I-47: phenyl-4,4,4',4'-tetramethyl-6,6'-[ethylenebis(oxadiyl)]dihexanoate;
 - I-48: benzyl-4,4,4',4'-tetramethyl-6,6'-[ethylenebis(oxadiyl)]dihexanoate:
 - I-49: 2,2,2',2'-tetramethyl-4,4'-[ethylenebis(oxadiyl)]dibutane sulfonic acid;
- I-50: phosphoric acid mono-{4-[2-(3,3-dimethyl-4-phosphonooxy-butoxy)-ethoxy]-2,2-dimethyl-butyl}ester;
 - I-51: 5-{4-[2-(3,3-dimethyl-4-(5-(3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dioxo)pentyloxy)-ethoxy]-2,2-dimethyl-butyl}- 3,3a-dihydro 3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dione;
- I-52: 5-{4-[2-(3,3-dimethyl-4-(5-(3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dithioxo)pentyloxy)-ethoxy]-2,2-dimethyl-butyl}- 3,3a-dihydro3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dithione;
 - I-53: 5-[2-(3,3-dimethyl-4-cyanocarbamoyl-butoxy)-ethoxy]-3,3-dimethyl-*N*-cyano-pentanoic acid-amide;
- I-54: phosphoramidic acid mono-(4-{2-[4-(amino-hydroxy-phosphoryloxy)-3,3-dimethyl-butoxy]-ethoxy}-2,2-dimethyl-butyl) ester;

- I-55: {4-[2-(3,3-dimethyl-4-phosphonamido-butoxy)-ethoxy]-2,2-dimethyl-butyl}-phosphonamide;
- I-56: 1-{4-[2-(3,3-dimethyl-5-{1*H*-tetrazol-1-yl}-butoxy)-ethoxy]-2,2-dimethyl-butyl}-1*H*-tetrazole;
- I-57: 5-{4-[2-(3,3-dimethyl-5-{1*H*-tetrazol-5-yl}-butoxy)-ethoxy]-2,2-dimethyl-butyl}-1*H*-tetrazole;
- I-58: 5-{4-[2-(3,3-dimethyl-5-{3-hydroxy-isoxazol-5-yl}-butoxy)-ethoxy]-2,2-dimethyl-butyl}-3-hydroxy-isoxazole;
- 30 I-59: 4-{4-[2-(3,3-dimethyl-5-{3-hydroxy-isoxazol-4-yl}-butoxy)-ethoxy]-2,2-dimethyl-butyl}-3-hydroxy-isoxazole;
 - I-60: 2-{4-[2-(3,3-dimethyl-5-{5-hydroxy-pyran-4-oxo-3-yl}-butyloxy)-ethoxy]-2,2-dimethyl-butyl}-5-hydroxy-pyran-4-one;

- I-61: 2-{4-[2-(3,3-dimethyl-5-{5-hydroxy-pyran-4-oxo-2-yl}-butyloxy)-ethoxy]-2,2-dimethyl-butyl}-5-hydroxy-pyran-4-one;
- I-62: 3-{4-[2-(3,3-dimethyl-5-{5-hydroxy-pyran-4-oxo-3-yl}-butyloxy)-ethoxy]-2,2-dimethyl-butyl}-5-hydroxy-pyran-4-one;
- 5 I-63: 1-ethyl-3-(4-{2-[4-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-3,3-dimethyl-butoxy]-ethoxy}-2,2-dimethyl-butyl)-imidazolidine-2,4-dione;

15

20

- I-64: 1-ethyl-3-(4-{2-[4-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-3,3-dimethyl-butoxy]-ethoxy}-2,2-dimethyl-butyl)-imidazolidine-2,4-dione;
- I-65: 1-ethyl-3-(4-{2-[4-(3-ethyl-2-thioxo-4-oxo-imidazolidin- 1-yl)-3,3-dimethyl -butoxy]-ethoxy}-2,2-dimethyl-butyl)-imidazolidine-2-thioxo-4-one;
- I-66: 1-ethyl-3-(4-{2-[4-(3-ethyl-2-oxo-4-thioxo-imidazolidin-1-yl)-3,3-dimethyl-butoxy]-ethoxy}-2,2-dimethyl-butyl)-imidazolidine-2- oxo-4-thione;
- I-67: 3,3,3',3'-tetramethyl-5,5'-[ethylenebis(oxadiyl)]dipentane sulfonic acid;
- I-68: phosphoric acid mono-{1,1-dimethyl-3-[2-(3-methyl-3-phosphonooxy-butoxy)-ethoxy]-propyl}ester;
- I-69: 5-(5-{2-[3,3-dimethyl-5-(4,6-dioxo-2,3,3a,6-tetrahydro-4h-thieno-[3,2-c]pyridin-5-yl)-pentyloxy]-ethoxy}-3,3-dimethyl-pentyl)-3,3a-dihydro-2*H*-thieno[3,2-c] pyridine-4,6-dione;
- I-70: 5-(5-{2-[3,3-dimethyl-5-(4,6-dithioxo-2,3,3a,6-tetrahydro-4h- thieno[3,2-c]pyridin-5-yl)-pentyloxy]-ethoxy}-3,3-dimethyl- pentyl)-3,3a-dihydro-2*H*-thieno[3,2-c]pyridine-4,6-dione;
- I-71: 6-[2-(3,3-dimethyl-5-cyano-carbamoyl-butoxy)-ethoxy]-4,4-dimethyl-*N*-cyano-hexanoic acid-amide;
- I-72: phosphoramidic acid mono-(5-{2-[5- (amino-hydroxy-phosphoryloxy)- 3,3-dimethyl-pentyloxy]-ethoxy}-3,3-dimethyl-pentyl) ester;
- I-73: {5-[2-(3,3-dimethyl-5-phosphonamido-pentyloxy)-ethoxy]- 3,3-dimethyl-pentyl}-phosphonamide;
- I-74: 1-{[2-(3,3-dimethyl-5-tetrazol-1-yl-pentyloxy)-ethoxy]-3,3-dimethyl-pentyl}-1*H*-tetrazole;
- I-75: 5-{5-[2-(3,3-dimethyl-5-tetrazol-1-yl-pentyloxy)-ethoxy]-3,3-dimethyl-pentyl}-1*H*-tetrazole;
 - I-76: 5-{5-[2-(3,3-dimethyl-5-{3-hydroxy-isoxazol-5-yl}-pentyloxy) -ethoxy] 3,3-dimethyl-pentyl}-isoxazol-3-ol;

4-{5-[2-(3,3-dimethyl-5-{3-hydroxy-isoxazol-4-yl}-pentyloxy)- ethoxy] -I-77: 3,3-dimethyl-pentyl}-isoxazol-3-ol; I-78: $3-\{5-[2-(5-\{5-hydroxy-4-oxo-4H-pyran-2-yl\}-3,3-dimethyl-pentyloxy)-3,3-dimethyl-pentyloxy)-3,3-dimethyl-pentyloxy$ dimethyl-pentyl]-5-hydroxy-pyran-4-one; 5 I-79: 2-{5-[2-(5-{5-hydroxy-4-oxo-4*H*-pyran-2-yl}-3,3-dimethyl-pentyloxy)-3,3dimethyl-pentyl]-5-hydroxy-pyran-4-one; I-80: $3-\{5-[2-(5-\{5-hydroxy-4-oxo-4H-pyran-3-yl\}-3,3-dimethyl-pentyloxy)-3,3$ dimethyl-pentyl]-5-hydroxy-pyran-4-one; I-81: 1-ethyl-3-(5-{2-[5-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-3,3-dimethyl-10 pentyloxy]-ethoxy}-3,3-dimethyl-pentyl)-imidazolidine- 2,4-dione; I-82: 1-ethyl-3-(5-{2-[5-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-3,3-dimethylpentyloxy]-ethoxy}-3,3-dimethyl-pentyl)-imidazolidine-2,4-dione; I-83: 1-ethyl-3-(5-{2-[5-(1-ethyl-2-thioxo-5-oxo-imidazolidin-3-yl)-3,3-dimethylpentyloxy]-ethoxy}-3,3-dimethyl-pentyl)-imidazolidine-2-thioxo-4-one; 15 I-84: $1-\text{ethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{dimethyl}-3-(5-\{2-\{5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-\text{imidazolidin}-3-\text{yl}\}-3,3-\text{ethyl}-3-(5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-3-\text{imidazolidin}-3-\text{yl})-3,3-(5-(1-\text{ethyl}-2-\text{oxo}-5-\text{thioxo}-3-\text{imidazolidin}-3-\text{yl})-3,3-(5-(1-\text{ethyl}-2-\text{oxo}-5-\text{imidazolidin}-3-\text{imidazolidin}-3-\text{yl})-3,3-(5-(1-\text{ethyl}-2-\text{oxo}-5-\text{imidazolidin}-3-\text{imida$ pentyloxy]-ethoxy}-3,3-dimethyl-pentyl)-imidazolidine-2-oxo-4-thione; I-85: 4-[4-(3-hydroxy-3-methyl-butoxymethyl)-benzyloxy]-2-methyl-butan-2-ol; 4-[4-(4-hydroxy-3,3-dimethyl-butoxymethyl)-benzyloxy]-2,2-dimethyl-I-86: butan-1-ol; 20 I-87: 4-[4-(3-carboxyl-3,3-dimethyl-butoxymethyl)-benzyloxy]-2,2-dimethylbutyric acid; I-88: 4-[4-(4-hydroxy-3,3-dimethyl-butoxymethyl)-benzyloxy]-2,2-dimethylbutanal; I-89: 4-[4-(3,3-dimethyl-3-carboxymethyl-butoxymethyl)-benzyloxy]-2,2-25 dimethyl-butyric acid methyl ester; I-90: 2,2-dimethyl-4-[4-(3-methyl-3-phenoxycarbonyl-butoxymethyl)-benzyloxy]butyric acid phenyl ester; I-91: 4-[4-(3-benzyloxycarbonyl-3-methyl-butoxymethyl)-benzyloxy]-2,2dimethyl-butyric acid benzyl ester; 30 I-92: 2,2'-dimethyl-4,4'-[vinylbis(oxadiyl)]dibutane-2-sulfonic acid: phosphoric acid mono-{1,1-dimethyl-3-[4-(3-methyl-3-phosphonooxy-I-93: butoxymethyl)-benzyloxy]-propyl}ester;

4-[2-(4-hydroxy-3,3-dimethyl-butoxy)-vinyloxy]-2,2-dimethyl-butan-1-ol;

2,2'-dimethyl-4,4'-[vinylbis(oxadiyl)]dibutanol;

I-94:

I-95:

- I-96: 4-[2-(3-carboxyl-3,3-dimethyl-butoxy)-vinyloxy]-2,2-dimethyl-butyric acid;
- I-97: 4-[2-(4-hydroxy-3,3-dimethyl-butoxy)-vinyloxy]-2,2-dimethyl-butanal;
- I-98: 4-[2-(3,3-dimethyl-3-carboxymethyl-3-butoxy)-vinyloxy]-2,2-dimethyl-butyric acid methyl ester;
- 5 I-99: 2,2-dimethyl-4-[2-(3-methyl-3-phenoxycarbonyl-butoxy)-vinyloxy]-butyric acid phenyl ester;

- I-100: 2,2-dimethyl-4-[2-(3-methyl-3-benzyloxycarbonyl-butoxy)-vinyloxy]-butyric acid benzyl ester;
- I-101: 4-[2-(3,3-dimethyl-3-sulfono-butoxy)-vinyloxy]-2-methyl-butane-2-sulfonic acid;
 - I-102: phosphoric acid mono-{3-[2-(3,3-dimethyl-butoxy)-vinyloxy]-1,1-dimethyl-propyl} ester;
 - I-103: 4-[4-(3-hydroxy-3-methyl-butoxy)-phenoxy]-2-methyl-butan-2-ol;
 - I-104: 4-[4-(4-hydroxy-3,3-dimethyl-butoxy)-phenoxy]-2,2-dimethyl-butan-1-ol;
- 15 I-105: 4-[4-(3-carboxyl-3,3-dimethyl-butoxy)-phenoxy]-2,2-dimethyl-butyric acid;
 - I-106: 4-[4-(4-hydroxy-3,3-dimethyl-butoxy)-phenoxy]-2,2-dimethyl-butanal;
 - I-107: 4-[4-(3,3-dimethyl-3-carboxymethyl-butoxy)-phenoxy]-2,2-dimethyl-butyric acid methyl ester;
 - I-108: 2,2-dimethyl-4-[4-(3-methyl-3-phenoxycarbonyl-butoxy)-phenoxy]-butyric acid phenyl ester;
 - I-109: 4-[4-(3-benzyloxycarbonyl-3-methyl-butoxy)-phenoxy]-2,2-dimethyl-butyric acid benzyl ester;
 - I-110: 4-[4-(3,3-dimethyl-3-sulfono-butoxy)-phenoxy]-2-methyl-butane-2-sulfonic acid;
- I-111: 4-[4-(3,3-dimethyl-3-oxyphosphono-butoxy)-phenoxy]-2-methyl-butane-2-oxyphosphoric acid;
 - I-112: 4-[3-(3-hydroxy-3-methyl-butoxy)-propoxy]-2-methyl-butan-2-ol;
 - I-113: 4-[3-(4-hydroxy-3,3-dimethyl-butoxy)-propoxy]-2,2-dimethyl-butan-1-ol;
 - I-114: 4-[3-(3-carboxy-3-methyl-butoxy)-propoxy]-2,2-dimethyl-butyric acid;
- I-115: 4-[3-(3,3-dimethyl-4-oxo-butoxy)-propoxy]-2,2-dimethyl-butanal;
 - I-116: 4-[3-(3-Methoxycarbonyl-3-methyl-butoxy)-propoxy]-2,2-dimethyl-butyric acid methyl ester;
 - I-117: 4-[3-(3,3-dimethyl-4-oxo-5-phenyl-pentyloxy)-propoxy]-2,2-dimethyl-butyric acid phenyl ester;

butyric acid benzyl ester; I-119: 2-methyl-4-[3-(3-methyl-3-sulfo-butoxy)-propoxy]-butane-2-sulfonic acid; I-120: phosphoric acid mono-{1,1-dimethyl-3-[3-(3-methyl-3- phosphonooxy-5 butoxy)-propoxy]-propyl} ester; I-121: 1-ethyl-3-(3-{3-[3-(4,6-dioxo-2,3,3a,6-tetrahydro-4*H*-thieno[3,2-c]pyridin-5yl))-3-methyl-butoxy]-propoxy}-1,1-dimethyl-propyl)-4,6-dioxo-2,3,3a,6tetrahydro-4*H*-thieno[3,2-c]pyridin-5-yl-4,6-dione; I-122: 1-ethyl-3-(3-{3-[3-(4,6-dithioxo-2,3,3a,6-tetrahydro-4*H*-thieno[3,2-10 c]pyridin-5-yl))-3-methyl-butoxy]-propoxy}-1,1-dimethyl-propyl)-4,6dioxo-2,3,3a,6-tetrahydro-4H-thieno[3,2-c]pyridin-5-yl-4,6-dithione; I-123: 2,2-dimethyl-4-[3-(3-methyl-3-cyano-carbamoyl-butoxy)-propoxyl-Ncyano-butyric acid-amide; I-124: phosphoramidic acid mono-(3-{3-[3-(amino-hydroxy-phosphoryloxy)-3-15 methyl-butoxy]-propoxy}-1,1-dimethyl-propyl) ester; I-125: {1,1-dimethyl-3-[3-(3-(methyl-3-phosponamido-butoxy)-propoxy]-propyl}phosphonamide; I-126: 1-{3-[3-(3-methyl-3-tetrazol-1-yl-butoxy)-propoxy]-1,1-dimethyl-propyl}-1*H*-tetrazole; 20 I-127: 5-{3-[3-(3-methyl-3-tetrazol-5-yl-butoxy)-propoxy]-1,1-dimethyl-propyl}-(1H)-tetrazole; I-128: 5-{3-[3-(3-methyl-3-(3-methyl-isoxazol-5-yl)-butoxy)-propoxy]-1,1dimethyl-propyl}-3-methyl-isoxazole; I-129: 4-{3-[3-(3-methyl-3-(3-methyl-isoxazol-4-yl)-butoxy)-propoxy]-1,1-25 dimethyl-propyl}-3-methyl-isoxazole; I-130: 3-{3-[3-(3-methyl-3-(5-hydroxy-pyran-3-yl-4-one)-butoxy)-propoxy]-1,1dimethyl-propyl}-5-hydroxy-pyran-4-one; I-131: 2-{3-[3-(3-methyl-3-(5-hydroxy-pyran-2-yl-4-one)-butoxy)-propoxy]-1.1dimethyl-propyl}-5-hydroxy-pyran-4-one; 30 I-132: 3-{3-[3-(3-methyl-3-(5-hydroxy-pyran-2-yl-4-one)-butoxy)-propoxy]-1,1dimethyl-propyl}-5-hydroxy-pyran-4-one;

I-118: 4-[3-(3-benzyloxycarbonyl-3-methyl-butoxy)-propoxy]-2,2-dimethyl-

I-133: 1-ethyl-3-(3-{3-[3-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-3-methyl-

butoxy]-propoxy}-1,1-dimethyl-propyl)-imidazolidine-2,4-dithione;

I-134: 1-ethyl-3-(3-{3-[3-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-3-methyl-butoxy]propoxy\-1,1-dimethyl-propyl\-imidazolidine-2,4-dithione; I-135: 1-ethyl-3-(3-{3-[3-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-3-methyl-butoxy]propoxy\-1,1-dimethyl-propyl\-imidazolidine-2,4-dione; 5 I-136: 1-ethyl-3-(3-{3-[3-(3-ethyl-2-thioxo-5-oxo-imidazolidin-1-yl)-3-methylbutoxy]-propoxy}-1,1-dimethyl-propyl)-imidazolidine-2-thioxo-4-one; I-137: 1-ethyl-3-(3-{3-[3-(3-ethyl-2-oxo-5-thioxo-imidazolidin-1-yl)-3-methylbutoxy]-propoxy}-1,1-dimethyl-propyl)-imidazolidine-2-oxo-4-thione; I-138: 1-(2-tetrahydropyranyloxy)-2-{2-[2-(2-tetrahydropyranyloxy)-ethoxy]-10 propoxy} ethane; I-139: 4-{2-[3-(oxetan-4-yl-2-one)-propoxy-propoxy]-ethyl}-oxetan-2-one; I-140: 3-{2-[3-(oxetan-3-yl--2-one)-propoxy-propoxy]-ethyl}-oxetan-2-one; I-141: 5-{2-[3-(dihydro-furan-5-yl-2-one)-propoxyl-ethyl}-dihydro-furan-2-one; 15 I-142: 4-{2-[3-(dihydro-furan-4-yl-2-one)-propoxy-propoxy]-ethyl}-dihydro-furan-2-one; I-143: 3-{2-[3-(dihydro-furan-3-yl-2-one)-propoxy]-ethyl}-dihydro-furan-2-one; I-144: [2-(2-{3-[2-(4-carboxymethyl-4-hydroxy-6-oxo-tetrahydro-pyran-2-yl)-20 ethoxy]-propoxy}-ethyl)-4-hydroxy-6-oxo-tetrahydro-pyran-4-yl]-acetic acid; I-145: 2,2'-[propylenebis(oxadiyl)]diethane-6-d-valerolactone; I-146: 2,2'-[propylenebis(oxadiyl)]diethane-5-d-valerolactone; I-147: 2,2'-[propylenebis(oxadiyl)]diethane-4-d-valerolactone; 25 I-148: 2,2'-[propylenebis(oxadiyl)]diethane-3-d-valerolactone; I-149: 5-[3-(5-hydroxy-3,3-dimethyl-pentyloxy)-propoxy]-3,3-dimethyl-pentan-1ol: I-150: 5-[3-(4-carboxy-3,3-dimethyl-butoxy)-propoxy]-3,3-dimethyl-pentanoic acid: 30 I-151: 5-[3-(3,3-dimethyl-5-oxo-pentyloxy)-propoxy]-3,3-dimethyl-pentanal; I-152: 5-[3-(4-methoxycarbonyl-3,3-dimethyl-butoxy)-propoxy]-3,3-dimethylpentanoic acid methyl ester; I-153: 5-[3-(3,3-dimethyl-4-phenoxycarbonyl-butoxy)-propoxy]-3,3-dimethyl-

pentanoic acid phenyl ester;

- I-154: 5-[3-(4-benzyloxycarbonyl-3,3-dimethyl-butoxy)-propoxy]-3,3-dimethyl-pentanoic acid benzyl ester;
- I-155: 4-[3-(3,3-dimethyl-pentyloxy)-propoxy]-2,2-dimethyl-butane-1-sulfonic acid;
- 5 I-156: phosphoric acid mono-{4-[3-(3,3-dimethyl-4-phosphonooxy-butoxy)-propoxy]-2,2-dimethyl-butyl}ester;
 - I-157: 5-{4-[3-(3,3-dimethyl-4-(5-(3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dioxo) pentyloxy)-propoxy]-2,2-dimethyl-butyl}- 3,3a-dihydro3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dione;
- I-158: 5-{4-[3-(3,3-dimethyl-4-(5-(3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dithioxo)pentyloxy)-propoxy]-2,2-dimethyl-butyl}- 3,3a-dihydro-3,3a-dihydro-2*H*-thieno-[3,2-c]pyridine-4,6-dithione;
 - I-159: 5-[3-(3,3-dimethyl-4-cyano-carbamoyl-butoxy)-propoxy]-3,3-dimethyl-n-cyano- pentanoic acid-amide;
- I-160: phosphoramidic acid mono-(5-{2-[4-(amino-hydroxy-phosphoryloxy)- 3,3-dimethyl-butoxy]-ethoxy}-2,2-dimethyl-pentyl) ester;

- I-161: {4-[3-(3,3-dimethyl-4-phosponamido-butoxy)-propoxy]-2,2-dimethyl-butyl}-phosphonamide;
- I-162: 1-{4-[3-(3,3-dimethyl-5-(1*H*-tetrazol-1-yl)-butoxy)-propoxy]-2,2-dimethyl-butyl}-1*H*-tetrazole;
- I-163: 5-{4-[3-(3,3-dimethyl-5-(1*H*-tetrazol-5-yl)-butoxy)-propoxy]-2,2-dimethyl-butyl}-1*H*-tetrazole;
- I-164: 5-{4-[3-(3,3-dimethyl-5-(3-hydroxy-isoxazol-5-yl)-butoxy)-propoxy]-2,2-dimethyl-butyl}-3-hydroxy-isoxazole;
- 25 I-165: 4-{4-[3-(3,3-dimethyl-5-(3-hydroxy-isoxazol-4-yl)-butoxy)-propoxy]-2,2-dimethyl-butyl}-3-hydroxy-isoxazole;
 - I-166: 2-{4-[3-(3,3-dimethyl-4-{5-hydroxy-pyran-4-oxo-3-yl}-butyloxy)-propoxy]-2,2- dimethyl-butyl}-5-hydroxy-pyran-4-one;
 - I-167: 2-{4-[3-(3,3-dimethyl-4-{5-hydroxy-pyran-4-oxo-2-yl}-butyloxy)-propoxy]-2,2- dimethyl-butyl}-5-hydroxy-pyran-4-one;
 - I-168: 3-{4-[3-(3,3-dimethyl-4-{5-hydroxy-pyran-4-oxo-3-yl}-butyloxy)-propoxy]-2,2-dimethyl-butyl}-5-hydroxy-pyran-4-one;
 - I-169: 1-ethyl-3-(4-{3-[4-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-3,3-dimethyl-butoxy]-propoxy}-2,2-dimethyl-butyl)-imidazolidine- 2,4-dione;

I-170: 1-ethyl-3-(4-{3-[4-(3-ethyl-2,5-oxo-imidazolidin-1-yl)-3,3-dimethylbutoxy]-propoxy}-2,2-dimethyl-butyl)-imidazolidine-2,4-dione; I-171: 1-ethyl-3-(4-{3-[4-(3-ethyl-2-thioxo-5-oxo-imidazolidin-1-yl)-3.3-dimethylbutoxy]-propoxy}-2,2-dimethyl-butyl)-imidazolidine-2-thioxo-4-one; 5 I-172: 1-ethyl-3-(4-{3-[4-(3-ethyl-2-oxo-5-thioxo-imidazolidin-1-yl)-3,3-dimethylbutoxy]-propoxy}-2,2-dimethyl-butyl)-imidazolidine-2-oxo-4-thione; I-173: 5-[3-(4-hydroxy-4-methyl-pentyloxy)-propoxy]-2-methyl-pentan-2-ol; I-174: 5-[3-(5-hydroxy-4,4-dimethyl-pentyloxy)-propoxyl-2,2-dimethyl-pentan-1ol; 10 I-175: 5-[3-(4-carboxy-4-methyl-pentyloxy)-propoxy]-2,2-dimethyl-pentanoic acid; I-176: 5-[3-(4,4-dimethyl-5-oxo-pentyloxy)-propoxy]-2,2-dimethyl-pentanal; I-177: 5-[3-(4-methoxycarbonyl-4-methyl-pentyloxy)-propoxy]-2,2-dimethylpentanoic acid methyl ester; 15 I-178: 5-[3-(4,4-dimethyl-5-oxo-6-phenyl-hexyloxy)-propoxyl-2,2-dimethylpentanoic acid phenyl ester; I-179: 4-{3-[1-(2-benzyloxycarbonyl-2-methyl-propyl)-vinyloxy]-propoxy}-2,2dimethyl- pent-4-enoic acid benzyl ester; I-180: 2-methyl-5-[3-(4-methyl-4-sulfo-pentyloxy)-propoxy]-pentane-2-sulfonic 20 acid; I-181: phosphoric acid mono-{1,1-dimethyl-4-[3-(4-methyl-4-phosphonooxypentyloxy)-propoxy]-butyl}ester; I-182: 5-(5-{3-[3,3-dimethyl-5-(4,6-dioxo-2,3,3a,6-tetrahydro-4h-thieno-[3,2c]pyridin-5-yl)-pentyloxy]-propoxy}-3,3-dimethyl-pentyl)-3,3a-dihydro-25 2H-thieno[3,2-c]pyridine-4,6-dione; I-183: 5-(5-{3-[3,3-dimethyl-5-(4,6-dithioxo-2,3,3a,6-tetrahydro-4h-thieno-[3,2c]pyridin-5-yl)-pentyloxy]-propoxy}-3,3-dimethyl-pentyl)-3,3a-dihydro-2*H*thieno[3,2-c]pyridine-4,6-dithione; I-184: 5-{3-[4-N-cyano-carbamoyl-4-methyl-pentyloxy)-propoxy]-2,2-dimethyl-N-30 cyano-pentanoic acid-amide; I-185: phosphoramidic acid mono-[3-(3-{1-[2-(amino-hydroxy-phosphoryloxy)-2methyl-propyl]-vinyloxy}-propoxy)-1,1-dimethyl-but-3-enyl] ester;

butyl}-phosphonamide;

I-186: {1,1-dimethyl-4-[3-(4-methyl-4-phosphonamido-pentyloxy)-propoxy]-

butyl}-1*H*-tetrazol; I-188: $5-\{4-[3-(4-\{1H-\text{tetrazol-}5-yl\}-4-\text{methyl-pentyloxy})-\text{propoxy}]-1,1-\text{dimethyl-}$ butyl}-1*H*-tetrazole; 5 I-189: 5-{4-[3-(4-{3-methyl-isoxazol-5-yl}-4-methyl-pentyloxy)-propoxy]-1,1dimethyl-butyl}-3-methyl-isoxazole; I-190: 4-{4-[3-(4-{3-methyl-isoxazol-4-yl}-4-methyl-pentyloxy)-propoxy]-1,1dimethyl-butyl}-3-methyl-isoxazole; I-191: 3-{4-[3-(4-{5-hydroxy-4-oxo-pyran-3-yl}-4-methyl-pentyloxy)-propoxy]-10 1,1- dimethyl-butyl}-5-hydroxy-pyran-4-one; I-192: 2-{4-[3-(4-{5-hydroxy-4-oxo-pyran-2-yl}-4-methyl-pentyloxy)-propoxy]-1,1- dimethyl-butyl}-5-hydroxy-pyran-4-one; I-193: 1-ethyl-3-(4-{3-[4-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-4-methylpentyloxy]- propoxy}-1,1-dimethyl-butyl)-imidazolidine-2,4-dione; 15 I-194: 1-ethyl-3-(4-{3-[4-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-4-methylpentyloxy]-propoxy}-1,1-dimethyl-butyl)-imidazolidine-2,4-dione; I-195: 1-ethyl-3-(4-{3-[4-(3-ethyl-5-oxo-2-thioxo-imidazolidin-1-yl)-4-methylpentyloxy]-propoxy}-1,1-dimethyl-butyl)-imidazolidine-4-oxo-2-thione; I-196: 1-ethyl-3-(4-{3-[4-(3-ethyl-2-oxo-5-thioxo-imidazolidin-1-yl)-4-methyl-20 pentyloxy]-propoxy}-1,1-dimethyl-butyl)-imidazolidine-2-oxo-4-thione; I-197: 2-{3-[3-(3-{tetrahydro-pyran-2-yl}-propoxy)-propoxy}tetrahydro-pyran; I-198: 4-{3-[3-(3-{oxetan-2-one-4-yl}propoxy)-propoxy]-propyl}-oxetan-2-one; I-199: 3-{3-[3-(3-{oxetan-2-one-3-yl}propoxy)-propoxy]-propyl}-oxetan-2-one; 25 I-200: 5-{3-[3-(3-{dihydro-furan-2-one-5-yl}-propoxy]-propoxy]-propyl}-dihydrofuran-2-one; I-201: 4-{3-[3-(3-{dihydro-furan-2-one-4-yl}-propoxy]-propyl}-dihydrofuran-2-one; I-202: 3-{3-[3-(3-{dihydro-furan-2-one-3-yl}-propoxy]-propoxy]-propyl}-dihydro-30 furan-2-one;

I-187: 1-{4-[3-(4-{1*H*-tetrazol-1-yl}-4-methyl-pentyloxy)-propoxy]-1,1-dimethyl-

acid;

I-203: {2-[3-(3-{3-[4-carboxymethyl-4-hydroxy-6-oxo-tetrahydro-pyran-2-yl)-

propoxy}-propoxy)-propyl]-4-hydroxy-6-oxo-tetrahydro-pyran-4-yl}-acetic

- I-204: 6-{3-[3-(3-{dihydro-pyran-2-one-6-yl}-propoxy)-propoxy]-propyl}-dihydro-pyran-2-one;
- I-205: 5-{3-[3-(3-{dihydro-pyran-2-one-5-yl}-propoxy]-propoxy]-propyl}-dihydro-pyran-2-one;
- 5 I-206: 4-{3-[3-(3-{dihydro-pyran-2-one-4-yl}-propoxy]-propyl}-dihydro-pyran-2-one;
 - I-207: 3-{3-[3-(3-{dihydro-pyran-2-one-3-yl}-propoxy]-propoxy]-propyl}-dihydro-pyran-2-one;
 - I-208: 6-[3-(6-hydroxy-4,4-dimethyl-hexyloxy)-propoxy]-3,3-dimethyl-hexan-1-ol;
- I-209: 6-[3-(5-carboxy-4,4-dimethyl-pentyloxy)-propoxy]-3,3-dimethyl-hexanoic acid;
 - I-210: 6-[3-(4,4-dimethyl-6-oxo-hexyloxy)-propoxy]-3,3-dimethyl-hexanal;
 - I-211: 6-[3-(5-methoxycarbonyl-4,4-dimethyl-pentyloxy)-propoxy]-3,3-dimethyl-hexanoic acid methyl ester;
- I-212: 6-[3-(4,4-dimethyl-5-phenoxycarbonyl-pentyloxy)-propoxy]-3,3-dimethyl-hexanoic acid cyclohexyl ester;

25

- I-213: 6-[3-(5-benzyloxycarbonyl-4,4-dimethyl-pentyloxy)-propoxy]-3,3-dimethyl-hexanoic acid benzyl ester;
- I-214: 5-[3-(4,4-dimethyl-5-sulfo-pentyloxy)-propoxy]-2,2- dimethyl-pentane-1-sulfonic acid;
- I-215: 5-[3-(4,4-dimethyl-5-phospo-pentyloxy)-propoxy]-2,2-dimethyl-pentane-1-phosphonic acid;
- I-216: 5-{5-[3-(5-{3,3a-dihydro-2*H*-thieno[3,2-c]pyridine-4,6-dione-5-yl}-4,4-dimethyl-pentyloxy)-propoxy]-2,2-dimethyl-3-pentyl}-3,3a-dihydro-2*H*-thieno[3,2-c]pyridine-4,6-dione;
- I-217: 5-{5-[3-(5-{3,3a-dihydro-2*H*-thieno[3,2-c]pyridine-4,6-dithione-5-yl}-4,4-dimethyl-pentyloxy)-propoxy]-2,2-dimethyl-3-pentyl}-3,3a-dihydro-2*H*-thieno[3,2-c]pyridine-4,6-dithione;
- I-218: 6-[3-(5-cyano-carbamoyl-4,4-dimethyl-pentyloxy)-propoxy]-3,3-dimethyl-N-cyano-hexanoic acid-amide;
- I-219: phosphoramidic acid mono-(6-{2-[5-(amino-hydroxy-phosphoryloxy)- 4,4-dimethyl- pentyloxy]-ethoxy}-2,2-dimethyl-hexyl) ester;
- I-220: {5-[3-(4,4-dimethyl-5-phosphonamido-pentyloxy)-propoxy]-2,2-dimethyl-pentyl}-phosphonamide;

I-221: $1-\{5-[3-(5-\{1H-\text{tetrazol-1-yl}\}-4,4-\text{dimethyl-pentyloxy})-\text{propoxy}\}-2,2$ dimethyl-pentyl}-1*H*-tetrazole; I-222: $5-\{5-[3-(5-\{1H-\text{tetrazol-}5-yl\}-4,4-\text{dimethyl-pentyloxy})-\text{propoxy}]-2,2$ dimethyl-pentyl}-1*H*-tetrazole; 5 I-223: 5-{5-[3-(5-{3-hydroxy-isoxazol-5-yl}-4,4-dimethyl-pentyloxy)-propoxy]-2,2- dimethyl-pentyl}-3-hydroxy-isoxazole; I-224: 4-{5-[3-(5-{3-hydroxy-isoxazol-4-yl}-4,4-dimethyl-pentyloxy)-propoxy]-2,2- dimethyl-pentyl}-3-hydroxy-isoxazole; I-225: 2-{5-[3-(5-{5-hydroxy-4-oxo-pyran-3-yl}-4,4-dimethyl-pentyloxy)-10 propoxy]-2,2-dimethyl-pentyl}-5-hydroxy-pyran-4-one; I-226: 2-{5-[3-(5-{5-hydroxy-4-oxo-pyran-2-yl}-4,4-dimethyl-pentyloxy)propoxy]-2,2- dimethyl-pentyl}-5-hydroxy-pyran-4-one; I-227: 3-{5-[3-(5-{5-hydroxy-4-oxo-pyran-3-yl}-4,4-dimethyl-pentyloxy)propoxy]-2,2- dimethyl-pentyl}-5-hydroxy-pyran-4-one; 15 I-228: 3-{4-[3-(5-{3-ethyl-2,5-dithioxo-imidazolidin-1-yl}-4,4-dimethylpentyloxy)- propoxy]-2,2-dimethyl-butyl}-1-ethyl-imidazolidine-2,4dithione; I-229: $3-\{4-[3-(5-\{3-\text{ethyl-}2,5-\text{dioxo-imidazolidin-}1-\text{yl}\}-4,4-\text{dimethyl-pentyloxy}\}$ propoxy]-2,2-dimethyl-butyl}-1-ethyl-imidazolidine-2,4-dione; 20 pentyloxy)- propoxy]-2,2-dimethyl-butyl}-1-ethyl-imidazolidine-4-oxo-2thione; I-231: 3-{4-[3-(5-{3-ethyl-5-oxo-2-thioxo-imidazolidin-1-yl}-4,4-dimethylpentyloxy)-propoxy]-2,2-dimethyl-butyl}-1-ethyl-imidazolidine-2-oxo-4-25 thione; I-232: 6-[3-(5-hydroxy-5-methyl-hexyloxy)-propoxy]-2-methyl-hexan-2-ol; I-233: 6-[3-(6-hydroxy-5,5-dimethyl-hexyloxy)-propoxy]-2,2-dimethyl-hexan-1-ol; I-234: 6-[3-(5-carboxy-5-methyl-hexyloxy)-propoxy]-2,2-dimethyl-hexanoic acid; I-235: 6-[3-(5,5-dimethyl-6-oxo-hexyloxy)-propoxy]-2,2-dimethyl-hexanal; 30 I-236: 6-[3-(5-methoxycarbonyl-5-methyl-hexyloxy)-propoxy]-2,2-dimethylhexanoic acid methyl ester; I-237: 6-[3-(5,5-dimethyl-6-oxo-7-phenyl-heptyloxy)-propoxy]-2,2-dimethyl-

hexanoic acid phenyl ester;

- I-238: 6-[3-(5-benzyloxycarbonyl-5-methyl-hexyloxy)-propoxy]-2,2-dimethyl-hexanoic acid benzyl ester;
- I-239: 2-methyl-6-[3-(5-methyl-5-sulfo-hexyloxy)-propoxy]-hexane-2-sulfonic acid;
- 5 I-240: phosphoric acid mono-{1,1-dimethyl-5-[3-(5-methyl-5-phosphonooxy-hexyloxy)-propoxy]- pentyl} ester;
 - I-241: 5-(5-{3-[4-(4,6-dioxo-hexahydro-thieno[3,2-c]pyridin-5-yl)-4- methyl-pentyloxy]-propoxy}-1,1-dimethyl-pentyl)-3,3a-dihydro-2*H*-thieno-[3,2-c] pyridine-4,6- dione;
- I-242: 5-(5-{3-[4-(4,6-dithioxo-hexahydro-thieno[3,2-c]pyridin-5-yl)-4-methyl-pentyloxy]-propoxy}-1,1-dimethyl-pentyl)-3,3a-dihydro-2*H*-thieno[3,2-c]pyridine-4,6- dithione;
 - I-243: 6-[3-(4-*N*-cyano-carbamoyl-4-methyl-pentyloxy)-propoxy]-2,2-dimethyl-*N*-cyano- hexanoic acid-amide;
- I-244: phosphoramidic acid mono-(5-{3-[5- (amino-hydroxy-phosphoryloxy)- 5- methyl-hexyloxy]-propoxy}- 1,1-dimethyl-pentyl) ester;

- I-245: {1,1-dimethyl-5-[3-(5-methyl-5-phosphonamido-hexyloxy)- propoxy]-pentyl}-phosphonamide;
- I-246: 1-{5-[3-(5-{1*H*-tetrazol-1-yl}-5-methyl-hexyloxy)-propoxy]-1,1-dimethyl-pentyl}-1*H*-tetrazole;
- I-247: 5-{5-[3-(5-{1*H*-tetrazol-5-yl}-5-methyl-hexyloxy)-propoxy]-1,1-dimethyl-pentyl}-1*H*-tetrazole;
- I-248: 5-{5-[3-(5-{3-hydroxy-isoxazol-5-yl}-5-methyl-hexyloxy)-propoxy]-1,1-dimethyl-pentyl}-3-hydroxy-isoxazole;
- I-249: 4-{5-[3-(5-{3-hydroxy-isoxazol-4yl}-5-methyl-hexyloxy)-propoxy]-1,1-dimethyl-pentyl}-3-hydroxy-isoxazole;
 - I-250: 3-{5-[3-(5-{5-hydroxy-4-oxo-pyran-3-yl}-5-methyl-hexyloxy)-propoxy]-1,1- dimethyl-pentyl}-5-hydroxy-pyran-4-one;
 - I-251: 2-{5-[3-(5-{5-hydroxy-4-oxo-pyran-2-yl}-5-methyl-hexyloxy)-propoxy]-1,1- dimethyl-pentyl}-5-hydroxy-pyran-4-one;
 - I-252: 1-ethyl-3-(5-{3-[5-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-5-methyl-h exyloxy]-propoxy}-2,2-dimethyl-hexyl)-imidazolidine-2,4-dione;
 - I-253: 1-ethyl-3-(5-{3-[5-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-5-methyl-hexyloxy]-propoxy}-2,2-dimethyl-hexyl)-imidazolidine-2,4-dione;

I-254: 1-ethyl-3-(5-{3-[5-(3-ethyl-2-thioxo-5-oxo-imidazolidin-1-yl)-5-methylhexyloxy]- propoxy}-2,2-dimethyl-hexyl)-imidazolidine-4-oxo-2-thione; I-255: 1-ethyl-3-(5-{3-[5-(3-ethyl-5-thioxo-2-oxo-imidazolidin-1-yl)-5-methylhexyloxy]- propoxy}-2,2-dimethyl-hexyl)-imidazolidine- 2-oxo-4-thione; 5 I-256: 2-{4-[3-(4-{tetrahydro-pyran-2-yl}-butoxy)-propoxy]-butoxy}-tetrahydropyran; I-257: 4-{4-[3-(4-{oxetan-2-one-4-yl}-butoxy)-propoxy]-butyl}-oxetan-2-one; I-258: 3-{4-[3-(4-{oxetan-2-one-3-yl}-butoxy)-propoxy]-butyl}-oxetan-2-one; I-259: 5-{4-[3-(4-{tetrahydro-furan-2-one-5-yl}-butoxy)-propoxy]-butyl}-10 tetrahydro-furan-2-one; I-260: 4-{4-[3-(4-{tetrahydro-furan-2-one-4-yl}-butoxy)-propoxy]-butyl}tetrahydro-furan-2-one; I-261: 3-{4-[3-(4-{tetrahydro-furan-2-one-3-yl}-butoxy)-propoxy]-butyl}tetrahydro-furan-2-one; 15 I-262: [2-(4-{3-[4-(4-carboxymethyl-4-hydroxy-6-oxo-tetrahydro-pyran-2-yl)butoxy]- propoxy}-butyl)-4-hydroxy-6-oxo-tetrahydro-pyran-4-yl)-acetic acid; I-263: 6-{4-[3-(4-{tetrahydro-pyran-2-one-6-yl}-butoxy)-propoxy]-butyl}tetrahydro- pyran-2-one; 20 I-264: 5-{4-[3-(4-{tetrahydro-pyran-2-one-5-yl}-butoxy)-propoxy]-butyl}tetrahydro-pyran-2-one; I-265: 4-{4-[3-(4-{tetrahydro-pyran-2-one-4-yl}-butoxy)-propoxy]-butyl}tetrahydro-pyran-2-one; I-266: 3-{4-[3-(4-{tetrahydro-pyran-2-one-3-yl}-butoxy)-propoxy]-butyl}-25 tetrahydro-pyran-2-one; I-267: 7-[3-(7-hydroxy-5,5-dimethyl-heptyloxy)-propoxy]-3,3-dimethyl-heptan-1ol; I-268: 7-[3-(6-carboxy-5,5-dimethyl-hexyloxy)-propoxy]-3,3-dimethyl-heptanoic acid; 30 I-269: 7-[3-(5,5-dimethyl-6-oxo-hexyloxy)-propoxy]-3,3-dimethyl-heptanal; I-270: 7-[3-(6-methoxycarbonyl-5,5-dimethyl-hexyloxy)-propoxy]-3,3-dimethylheptanoic acid methyl ester;

heptanoic acid phenyl ester;

I-271: 7-[3-(5,5-dimethyl-6-phenoxycarbonyl-hexyloxy)-propoxy]-3,3-dimethyl-

heptanoic acid benzyl ester; I-273: 6-[3-(5,5-dimethyl-6-sulfo-hexyloxy)-propoxy]-2,2-dimethyl-hexane-1sulfonic acid; 5 I-274: phosphoric acid mono-{6-[3-(5,5-dimethyl-6-phosphonooxy-hexyloxy)propoxy]-2,2-dimethyl-hexyl}-ester; I-275: 5-(6-{3-[6-(4,6-dioxo-hexahydro-thieno[3,2-c]pyridin-5-yl)-5,5-dimethylhexyloxy]-propoxy}-2,2-dimethyl-hexyl)-3,3a-dihydro-2*H*- thieno[3,2-c] pyridine-4,6-dione; 10 I-276: 5-(5-{3-[4-(4,6-dithioxo-hexahydro-thieno[3,2-c]pyridin-5-yl)-4-methylpentyloxy]-propoxy}-1,1-dimethyl-pentyl)- 3,3a- dihydro-2H- thieno [3,2-c] pyridine-4,6-dithione; I-277: 7-[3-(6-N-cyano-carbamoyl-5,5-dimethyl-hexyloxy)-propoxy]-3,3-dimethyl-*N*-cyano-heptanoic acid-amide; 15 I-278: phosphoramidic acid mono-{7-[2-(6-{amino-hydroxy-phosphoryloxy}-5,5dimethyl-hexyloxy)-ethoxy]-2,2-dimethyl-heptyl}ester; I-279: {6-[3-(5,5-dimethyl-6-phosphonamido-hexyloxy)-propoxy]-2,2,-dimethylhexyl}-phosphonamide; I-280: $1-\{6-\{3-(6-\{1H-\text{tetrazol-1-yl}\}-5,5-\text{dimethyl-hexyloxy})-\text{propoxy}\}-2,2-$ 20 dimethyl-hexyl}-1*H*-tetrazole; I-281: $5-\{6-[3-(6-\{1H-\text{tetrazol-}5-yl\}-5,5-\text{dimethyl-hexyloxy})-\text{propoxy}\}-2,2$ dimethyl-hexyl}-1*H*-tetrazole; I-282: $5-\{6-\{3-(6-\{3-hydroxy-isoxazol-5-yl\}-5,5-dimethyl-hexyloxy\}-propoxy\}$ 2,2- dimethyl-hexyl}-3-hydroxy-isoxazole; 25 I-283: 4-{6-[3-(6-{3-hydroxy-isoxazol-4-yl}-5,5-dimethyl-hexyloxy)-propoxy]-2,2- dimethyl-hexyl}-3-hydroxy-isoxazole; I-284: 2-{6-[3-(6-{5-hydroxy-4-oxo-pyran-3-yl}-5,5-dimethyl-hexyloxy)propoxy]-2,2- dimethyl-hexyl}-5-hydroxy-pyran-4-one; I-285: 2-{6-[3-(6-{5-hydroxy-4-oxo-pyran-2-yl}-5,5-dimethyl-hexyloxy)-30 propoxy]-2,2- dimethyl-hexyl}-5-hydroxy-pyran-4-one; I-286: $3-\{6-\{3-(6-\{5-hydroxy-4-oxo-pyran-3-yl\}-5,5-dimethyl-hexyloxy\}-5\}$ propoxy]-2,2- dimethyl-hexyl}-5-hydroxy-pyran-4-one; I-287: 1-ethyl-3-(6-{3-[6-(3-ethyl-2,5-dithioxo-imidazolidin-1-yl)-5,5-dimethyl-

I-272: 7-[3-(6-benzyloxycarbonyl-5,5-dimethyl-hexyloxy)-propoxy]-3,3-dimethyl-

hexyloxy]- propoxy}-2,2-dimethyl-hexyl)- imidazolidine- 2,4-dione;

- I-288: 1-ethyl-3-(6-{3-[6-(3-ethyl-2,5-dioxo-imidazolidin-1-yl)-5,5-dimethyl-hexyloxy]-propoxy}-2,2-dimethyl-hexyl)-imidazolidine-2,4-dione;
- I-289: 1-ethyl-3-(6-{3-[6-(3-ethyl-5-oxo-2-thioxo-imidazolidin-1-yl)-5,5-dimethyl-hexyloxy]-propoxy}-2,2-dimethyl-hexyl)- imidazolidine-4-oxo-2-thione;
- 5 I-290: 1-ethyl-3-(6-{3-[6-(3-ethyl-2-oxo-5-thioxo-imidazolidin-1-yl)- 5,5-dimethyl-hexyloxy]-propoxy}-2,2-dimethyl-hexyl)-imidazolidine-2-oxo-4-thione;
 - I-291: 6-[3-(5-carboxy-5-methyl-hexyloxymethyl)-benzyloxy]-2,2-dimethyl-hexanoic acid;
 - I-292: 6-[3-(5-carboxy-5-methyl-hexyloxymethyl)-benzyloxy]-2,2-dimethyl-hexan-1-ol;
 - I-293: 6-[3-(6-hydroxy-5,5-dimethyl-hexyloxymethyl)-benzyloxy]-2,2-dimethyl-hexan-1-ol;
 - I-294: 5-[3-(4-carboxy-4-methyl-pentyloxymethyl)-benzyloxy]-2,2-dimethyl-pentanoic acid;
- I-295: 5-[3-(4-carboxy-4-methyl-pentyloxymethyl)-benzyloxy]-2,2-dimethyl-hexan-1-ol;

- I-296: 5-[3-(5-hydroxy-4,4-dimethyl-pentyloxymethyl)-benzyloxy]-2,2-dimethyl-pentan-1-ol; or
- I-297: 5-[2-(5-hydroxy-4,4-dimethyl-pentyloxy)-ethoxy]-2,2-dimethyl-pentan-1-ol.

30. A compound of the formula II:

$$W^1$$
 Z O G $C(CH_2)_p$ W

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:

- 5 (a) each occurrence of Z is independently (CH₂)_m, (CH=CH)_t, or phenyl, where each occurrence of m and t are independent integers ranging from 1 to 5;
 - (b) G is (CH₂)_x, CH₂CH=CHCH₂, CH=CH, CH₂-phenyl-CH₂, or phenyl, where x is an integer ranging from 1 to 4;
- (c) W^1 and W^2 are independently $C(R^1)(R^2)(CH_2)_{n-}Y$, V, or $C(R^1)(R^2)$ — $(CH_2)_{c-}V$ where c is 1 or 2 and n is an integer ranging from 0 to 4;
 - (d) each occurrence of R¹ and R² is independently (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, or benzyl;

(e) V is

15 (f) each occurrence of Y is independently OH, COOH, CHO, COOR⁷, SO₃H,

- (g) R⁷ is (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C₁-C₆)alkoxy, or phenyl groups;
 - (h) each occurrence of R^8 is independently H, $(C_1_C_6)$ alkyl, $(C_2_C_6)$ alkenyl, or $(C_2_C_6)$ alkynyl and is unsubstituted or substituted with one or two halo, OH, $(C_1_C_6)$ alkoxy, or phenyl groups;
- 10 (i) each occurrence of R^9 is independently H, $(C_{1}$ – C_{6})alkyl, $(C_{2}$ – C_{6})alkenyl, or $(C_{2}$ – C_{6})alkynyl; and
 - (j) each occurrence of p is independently 0 or 1 where the broken line represents an optional presence of 1 or 2 additional carbon-carbon bonds that when present complete 1 or 2 carbon-carbon double bonds.

- 31. The compound of claim 30, wherein W^1 and W^2 are independent $C(R^1)(R^2)(CH_2)_{n-}Y$ groups and each occurrence of Y is independently OH, COOR⁷, or COOH.
- 32. The compound of claim 30, wherein W^1 is $C(R^1)(R^2)(CH_2)_{n-}Y$.
- 33. The compound of claim 30, wherein W^1 is V.
- 5 34. The compound of claim 30, wherein W^1 is $C(R^1)(R^2)$ — $(CH_2)_{c-}V$.
 - 35. The compound of claim 30, wherein p is 0.
 - 36. The compound of claim 30, wherein p is 1.
 - 37. The compound of claim 30, wherein t is 1.

38. A compound of the formula IIa:


$$W^{1}$$
 $(CH_{2})_{m}$
 O
 $(CH_{2})_{x}$
 O
 $(CH_{2})_{p}$
 W^{1}
 $(CH_{2})_{m}$

IIa

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:

- 5 (a) each occurrence of m is independently an integer ranging from 1 to 5;
 - (b) x is an integer ranging from 1 to 4;
 - (c) W^1 and W^2 are independently $C(R^1)(R^2)(CH_2)_{n-}Y$, V, or $C(R^1)(R^2)-(CH_2)_{c-}V$ where c is 1 or 2 and n is an integer ranging from 0 to 4;
- (d) each occurrence of R¹ and R² is independently (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂
 C₆)alkynyl, phenyl, or benzyl;
 - (e) V is

(f) Y is OH, COOH, CHO, COOR⁷, SO₃H,



- (g) R^7 is (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C_1-C_6) alkoxy, or phenyl groups;
- (h) each occurrence of R⁸ is independently H, (C₁₋C₆)alkyl, (C₂₋C₆)alkenyl, or (C₂₋ C₆)alkynyl and is unsubstituted or substituted with one or two halo, OH, (C₁₋ C₆)alkoxy, or phenyl groups;
 - (i) each occurrence of R^9 is independently H, $(C_1_C_6)$ alkyl, $(C_2_C_6)$ alkenyl, or $(C_2_C_6)$ alkynyl; and

- (j) each occurrence of p is independently 0 or 1.
- 39. The compound of claim 38, wherein W^1 and W^2 are independent $C(R^1)(R^2)(CH_2)_{n-}Y$ groups and each occurrence of Y is independently OH, COOR⁷, or COOH.
- 40. The compound of claim 38, wherein W^1 is $C(R^1)(R^2)(CH_2)_{n-}Y$.
- 5 41. The compound of claim 38, wherein W^1 is V.
 - 42. The compound of claim 38, wherein W^1 is $C(R^1)(R^2)$ — $(CH_2)_{c-}V$.
 - 43. The compound of claim 38, wherein p is 0.
 - 44. The compound of claim 38, wherein p is 1.
 - 45. A compound of the formula:

- II-1: 5-(6-{3-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-propyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-2: 5-(6-{3-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-propyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-3: 5-(6-{3-[6-(4-carboxyl-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-propyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-4: 5-(6-{3-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-propyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-5: 5-(6-{3-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-propyl-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
- 20 II-6: 5-(6-{3-[6-(4-carboxyl-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-propyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-7: 6-(6-{3-[6-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-propyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexan-1-ol;
 - II-8: 6-(6-{3-[6-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-propyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
 - II-9: 6-(6-{3-[6-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-propyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexanoic acid;

- II-10: 6-(6-{3-[6-(6-hydroxy-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-propyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexan-1-ol;
- II-11: 6-(6-{3-[6-(6-hydroxy-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-propyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
- 5 II-12: 6-(6-{3-[6-(5-carboxyl-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-propyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexanoic acid;

20

- II-13: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-vinyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexan-1-ol;
- II-14: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-vinyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
- II-15: 6-(6-{2-[6-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-vinyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
- II-16: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-vinyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexan-1-ol;
- II-17: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-vinyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
 - II-18: 6-(6-{2-[6-(5-carboxyl-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-vinyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
 - II-19: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-vinyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-20: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-vinyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-21: 5-(6-{2-[6-(4-carboxyl-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-vinyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
- 25 II-22: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-vinyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-23: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-vinyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-24: 5-(6-{2-[6-(4-carboxyl-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-vinyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-25: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-phenyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexan-1-ol;
 - II-26: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-phenyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexanoic acid;

- II-27: 6-(6-{2-[6-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-pyran-2-yl]-phenyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
- II-28: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
- 5 II-29: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-30: 5-(6-{2-[6-(4-carboxyl-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-31: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-phenyl}-tetrahydro-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-32: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-33: 5-(6-{2-[6-(4-carboxyl-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
- II-34: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexan-1-ol;

10

20

- II-35: 6-(6-{2-[6-(6-hydroxy-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
- II-36: 6-(6-{2-[6-(5-carboxyl-5,5-dimethyl-hexyl)-4-oxo-pyran-2-yl]-phenyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-hexanoic acid;
- II-37: 5-(5-{3-[5-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-propyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-pentan-1-ol;
- II-38: 5-(5-{3-[5-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-propyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-pentanoic acid;
- 25 II-39: 5-(5-{3-[5-(4-carboxyl-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-propyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-40: 5-(5-{3-[5-(5-hydroxy-4,4-dimethyl-pentyl)-furan-2-yl]-propyl}-furan-2-yl)-2,2-dimethyl-pentan-1-ol;
 - II-41: 5-(5-{3-[5-(5-hydroxy-4,4-dimethyl-pentyl)-furan-2-yl]-propyl}-furan-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-42: 5-(5-{3-[5-(4-carboxyl-4,4-dimethyl-pentyl)-furan-2-yl]-propyl}-furan-2-yl)-2,2-dimethyl-pentanoic acid;
 - II-43: 6-(5-{3-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-propyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-hexan-1-ol;

- II-44: 6-(5-{3-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-propyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid; II-45: 6-(5-{3-[5-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-propyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid; 5 II-46: 6-(5-{3-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-propyl}-furan-2-yl)-2,2-dimethyl-hexan-1-ol; II-47: 6-(5-{3-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-propyl}-furan-2-yl)-2,2-dimethyl-hexanoic acid; II-48: 6-(5-{3-[5-(5-carboxyl-5,5-dimethyl-hexyl)-furan-2-yl]-propyl}-furan-2-yl)-10 2,2-dimethyl-hexanoic acid; II-49: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-vinyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexan-1-ol; II-50: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-vinyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid; 15 II-51: 6-(5-{2-[5-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-vinyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid; II-52: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-vinyl}-furan-2-yl)-2,2-dimethyl-hexan-1-ol; II-53: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-vinyl}-furan-2-yl)-20 2,2-dimethyl-hexanoic acid; II-54: 6-(5-{2-[5-(5-carboxyl-5,5-dimethyl-hexyl)-furan-2-yl]-vinyl}-furan-2-yl)-2,2-dimethyl-hexanoic acid; II-55: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-vinyl}tetrahydro-furan-2-yl)-2,2-dimethyl-pentan-1-ol; 25 II-56: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-vinyl}tetrahydro-furan-2-yl)-2,2-dimethyl-pentanoic acid; II-57: 5-(5-{2-[5-(4-carboxyl-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-vinyl}tetrahydro-furan-2-yl)-2,2-dimethyl-pentanoic acid; II-58: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-furan-2-yl]-vinyl}-furan-2-yl)-
 - II-60: 5-(5-{2-[5-(4-carboxyl-4,4-dimethyl-pentyl)-furan-2-yl]-vinyl}-furan-2-yl)-2,2-dimethyl-pentanoic acid;

II-59: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-furan-2-yl]-vinyl}-furan-2-yl)-

2,2-dimethyl-pentan-1-ol;

2,2-dimethyl-pentanoic acid;

- II-61: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-phenyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexan-1-ol; II-62: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-phenyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid; 5 II-63: 6-(5-{2-[5-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-phenyl}tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid; II-64: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-phenyl}tetrahydro-furan-2-yl)-2,2-dimethyl-pentan-1-ol; II-65: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-phenyl}-10 tetrahydro-furan-2-yl)-2,2-dimethyl-pentanoic acid; II-66: 5-(5-{2-[5-(4-carboxyl-4,4-dimethyl-pentyl)-tetrahydro-furan-2-yl]-phenyl}tetrahydro-furan-2-yl)-2,2-dimethyl-pentanoic acid; II-67: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-furan-2-yl]-phenyl}-furan-2-yl)-2,2-dimethyl-pentan-1-ol; 15 II-68: 5-(5-{2-[5-(5-hydroxy-4,4-dimethyl-pentyl)-furan-2-yl]-phenyl}-furan-2-yl)-2,2-dimethyl-pentanoic acid; II-69: 5-(5-{2-[5-(4-carboxyl-4,4-dimethyl-pentyl)-furan-2-yl]-phenyl}-furan-2yl)-2,2-dimethyl-pentanoic acid; II-70: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-phenyl}-furan-2-yl)-20 2,2-dimethyl-hexan-1-ol; II-71: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-phenyl}-furan-2-yl)-2,2-dimethyl-hexanoic acid; II-72: 6-(5-{2-[5-(5-carboxyl-5,5-dimethyl-hexyl)-furan-2-yl]-phenyl}-furan-2-yl)-2,2-dimethyl-hexanoic acid; 25 II-73: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-ethyl}tetrahydro-pyran-2-yl)-2,2-dimethyl-pentan-1-ol; II-74: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-ethyl}tetrahydro-pyran-2-yl)-2,2-dimethyl-pentanoic acid; II-75: 5-(6-{2-[6-(4-carboxyl-4,4-dimethyl-pentyl)-tetrahydro-pyran-2-yl]-ethyl}-
 - II-76: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-ethyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentan-1-ol;

tetrahydro-pyran-2-yl)-2,2-dimethyl-pentanoic acid;

30

II-77: 5-(6-{2-[6-(5-hydroxy-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-ethyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;

- II-78: 5-(6-{2-[6-(4-carboxyl-4,4-dimethyl-pentyl)-4-oxo-pyran-2-yl]-ethyl}-4-oxo-pyran-2-yl)-2,2-dimethyl-pentanoic acid;
- II-79: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-ethyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-hexan-1-ol;
- 5 II-80: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-ethyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid;

- II-81: 6-(5-{2-[5-(5-carboxyl-5,5-dimethyl-hexyl)-tetrahydro-furan-2-yl]-ethyl}-tetrahydro-furan-2-yl)-2,2-dimethyl-hexanoic acid;
- II-82: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-ethyl}-furan-2-yl)-2,2-dimethyl-hexan-1-ol;
- II-83: 6-(5-{2-[5-(6-hydroxy-5,5-dimethyl-hexyl)-furan-2-yl]-ethyl}-furan-2-yl)-2,2-dimethyl-hexanoic acid; or
- II-84: 6-(5-{2-[5-(5-carboxyl-5,5-dimethyl-hexyl)-furan-2-yl]-ethyl}-furan-2-yl)-2,2-dimethyl-hexanoic acid.

46. A compound of the formula III:

$$R^{1} R^{2} p^{(H_{2}C)}$$
 $R^{1} R^{2}$
 $(CH_{2})_{m} (CH_{2})_{x} O$
 $(CH_{2})_{x} (CH_{2})_{m}$

III

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:

- each occurrence of R^1 and R^2 is independently $(C_{1-}C_6)$ alkyl, $(C_{2-}C_6)$ alkenyl, $(C_{2-}C_6)$ alkynyl, phenyl, or benzyl; or R^1 , R^2 , and the carbon to which they are both attached are taken together to form a $(C_{3-}C_7)$ cycloalkyl group;
 - (b) each occurrence of m is an independent integer ranging from 0 to 4;
 - (c) each occurrence of x is independently 2 or 3;
- 10 (d) W¹ and W² are independently OH, C(O)OH, CHO, OC(O)R⁷, C(O)OR⁷, SO₃H,

- (e) R⁷ is (C₁₋C₆)alkyl, (C₂₋C₆)alkenyl, (C₂₋C₆)alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C₁₋C₆)alkoxy, or phenyl groups;
 - (f) each occurrence of R^8 is independently H, $(C_{1-}C_6)$ alkyl, $(C_{2-}C_6)$ alkenyl, or $(C_{2-}C_6)$ alkynyl and is unsubstituted or substituted with one or two halo, OH, $(C_{1-}C_6)$ alkoxy, or phenyl groups;
- 10 (g) each occurrence of R^9 is independently H, $(C_{1-}C_{6})$ alkyl, $(C_{2-}C_{6})$ alkenyl, or $(C_{2-}C_{6})$ alkynyl; and
 - (h) p is 0 or 1 where the broken line represents an optional presence of 1 or 2 additional carbon-carbon bonds that when present complete 1 or 2 carbon-carbon double bonds.

- 47. The compound of claim 46, wherein W^1 and W^2 are independently OH, COOR⁷, or COOH.
- 48. The compound of claim 46, wherein p is 0.
- 49. The compound of claim 46, wherein p is 1.
- 5 50. The compound of claim 46, wherein the broken line is absent.
 - 51. The compound of claim 46, wherein each occurrence of R^1 and R^2 is independently (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, phenyl, or benzyl.

52. A compound of the of formula IV:

$$R^{1}$$
 R^{2} $p(H_{2}C)$ $p(H_{2}C)$ R^{11} R^{12} W^{1} CH_{2} CH_{2}

or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof, wherein:

- each occurrence of R¹ and R² is independently (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, benzyl, or R¹ and R² and the carbon to which they are both attached are taken together to form a (C₃-C₇)cycloakyl group;
 - (b) each occurrence of R¹¹ and R¹² is independently H, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, benzyl, or R¹ and R² and the carbon to which they are both attached are taken together to form a (C₃-C₇)cycloakyl group;
 - (c) each occurrence of m is independently an integer ranging from 0 to 6;
 - (d) each occurrence of x is independently and integer from 0 to 4;
 - (e) W^1 and W^2 are independently (C₁-C₆)alkyl, OH, C(O)OH, CHO, OC(O)R⁷, C(O)OR⁷, SO₃H,

15

- (f) R⁷ is (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, phenyl, or benzyl and is unsubstituted or substituted with one or more halo, OH, (C₁-C₆)alkoxy, or phenyl groups;
 - (g) each occurrence of R⁸ is independently H, (C₁_C₆)alkyl, (C₂_C₆)alkenyl, or (C₂_C₆)alkynyl and is unsubstituted or substituted with one or two halo, OH, (C₁_C₆)alkoxy, or phenyl groups;
- 10 (h) each occurrence of R^9 is independently H, $(C_1_C_6)$ alkyl, $(C_2_C_6)$ alkenyl, or $(C_2_C_6)$ alkynyl; and
 - (a) (i) each occurrence of p is independently 0 or 1 where the broken line represents an optional presence of 1, 2, or 3 additional carbon-carbon bonds that when present form a cycloalkenyl group, a cyclodienyl group, or a phenyl group.

- 53. The compound of claim 52, wherein W^1 and W^2 are independently OH, COOR⁷, or COOH.
- 54. The compound of claim 52, wherein each occurrence of R^1 and R^2 is independently $(C_1_C_6)$ alkyl, $(C_2_C_6)$ alkenyl, $(C_2_C_6)$ alkynyl, phenyl, or benzyl.
- 5 55. The compound of claim 52, wherein p is 0.
 - 56. The compound of claim 52, wherein p is 1.
 - 57. The compound of claim 52, wherein the broken line is absent.

58. The compound of claim 52, having the formula:

$$W^1$$
 $(CH_2)_m$
 $(CH_2)_x$
 $(CH_2)_x$
 $(CH_2)_m$
 $(CH_2)_x$
 $(CH_2)_m$

59. The compound of claim 52, having the formula:

$$W^{1}$$
 $(CH_{2})_{m}$
 $(CH_{2})_{x}$
 $(CH_{2})_{x}$
 $(CH_{2})_{x}$
 $(CH_{2})_{x}$
 $(CH_{2})_{x}$
 $(CH_{2})_{x}$

- 5 60. A pharmaceutical composition comprising a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, clathrate, enantiomer, diastereomer, racemate, or a mixture of stereoisomers thereof and a pharmaceutically acceptable vehicle, excipient, or diluent and a pharmaceutically acceptable vehicle, excipient, or diluent.
- 10 61. A pharmaceutical composition comprising one or more of the following compounds:
 - I-114 4-[3-(3-carboxy-3-methyl-butoxy)-propoxy]-2,2-dimethyl-butyric acid,
 - I-297 5-[2-(5-hydroxy-4,4-dimethyl-pentyloxy)-ethoxy]-2,2-dimethyl-pentan-1-ol,
 - IV-1 3-{3-[3-(2-Carboxy-2-methyl-propyl)-phenoxy]-phenyl}-2,2-dimethyl-propionic acid,
- IV-2 1-{3-[3-(2-hydroxy-2-methyl-propyl)-phenoxy]-phenyl}-2-methyl-propan-2-ol,

or a pharmaceutically acceptable salt, hydrate, solvate, clathrate, enantiomer, diastereomer, racemate, or a mixture of stereoisomers thereof and a pharmaceutically acceptable vehicle, excipient, or diluent.

- 20 62. A method for treating or preventing a cardiovascular disease in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
 - 63. A method for treating or preventing a dyslipidemia in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically effective

amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.

5

10

- 64. A method for treating or preventing a dyslipoproteinemia in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- A method for treating or preventing a disorder of glucose metabolism in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- 66. A method for treating or preventing hypertension in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- 15 67. A method for treating or preventing renal disease in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- 68. A method for treating or preventing cancer in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof
 - 69. A method for treating or preventing inflammation in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof
 - 70. A method for treating or preventing impotence in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or

prophylactically effective amount of a compound of comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof

- A method for treating or preventing a neurodegenerative disease or disorder in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof
- 72. A method of inhibiting hepatic fatty acid synthesis in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- 73. A method of inhibiting sterol synthesis in a patient, comprising administering to a patient in need of such treatment or prevention a therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- 74. A method of treating or preventing metabolic syndrome disorders in a patient, comprising administering to a patient in need of such treatment or prevention a
 20 therapeutically or prophylactically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
- 75. A method of treating or preventing a disease or disorder that is capable of being treated or prevented by increasing HDL levels, which comprises administering to a patient in need of such treatment or prevention a therapeutically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.
 - 76. A method of treating or preventing a disease or disorder that is capable of being treated or prevented by lowering LDL levels, which comprises administering to such patient

in need of such treatment or prevention a therapeutically effective amount of a compound of claim 1, 13, 21, 26, 27, 28, 29, 30, 38, 45, 46, or 52 or a pharmaceutically acceptable salt, hydrate, solvate, or a mixture thereof.

77. A pharmaceutical composition comprising a compound of claim 1, 11, 28, 29, 30,
5 31, 32, 33, 34, or 35 and a pharmaceutically acceptable vehicle, excipient, or diluent which is administered in combination with a statin.